



NHR ORGANIC OILS

24 CHATHAM PLACE, BRIGHTON BN1 3TN (UK)
 TEL.(UK) 0845 310 8066 FAX.(UK) 0845 310 8068
 International Tel. +44 1273 746505 Int. Fax. +44 1273 202729
 EMAIL: info@nhrorganicoils.com Web Site: www.nhrorganicoils.com

Material Safety Data Sheet
WILD CRAFTED SANDALWOOD - Australia
Santalum spicatum
 ESSENTIAL OIL

| Info | Identification |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| FEMA No | |
| CAS No. | 8006-87-9 |
| Chemical Name | |
| Health | Slightly hazardous. |
| Flammability | Will ignite if overheated. |
| Reactivity | Unstable if heated. |
| Info | Fire, Explosion & Reactivity |
| Flash Point | 276 F |
| Extinguishing Media | FOG-No CO2-Yes FOAM-Yes DRY-Yes |
| Dot Classification | |
| Stability | STABLE |
| NFPA Classification | |
| Fire Fighting | Fire-fighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. |
| Unusual Fire Hazard | n/a |
| Hazardous Combustible Decomposition Products | n/a |
| Info | Physical Data |
| Colour & Odour | COLORLESS TO PALE YELLOW LIQUID WITH A SWEET, SOFT, WOODY ODOUR |

| | |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Boiling Point | N/A |
| Melting Point | N/A |
| Vapour Pressure | <1KPA |
| Vapour Density | N/A |
| Water Solubility | <0.1% |
| Info | Protection Data |
| Respiratory | NONE REQUIRED WHERE ADEQUATE VENTILATION EXISTS.IF AIRBORNE CONCENTRATION IS HIGH, USE AN APPROPRIATE RESPIRATOR OR DUST MASK. |
| Ventilation | USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP MIST LEVELS AS LOW AS POSSIBLE. |
| Skin | SOLVENT RESISTANT GLOVES, UNIFORM, APRON ARE RECOMMENDED |
| Eye | SAFETY GLASSES RECOMMENDED |
| Other | |
| Info | Occupational Exposure Limit |
| Threshold Limit | |
| OSHA Permissible Limit | |
| Carcinogen | NO |
| NTP Limit | NO |
| IARC Limit | NO |
| OSHA Limit | NO |
| Carcinogen Notes | |
| Info | Health Hazards |
| Material Type | |
| Health Hazard | |
| Primary Entry Routes | |
| Health Hazard Notes | |
| Info | Emergency First Aid |
| Inhalation | REMOVE EXPOSED PERSON TO FRESH AIR AND SEEK MEDICAL ADVICE. |
| Eye Contact | FLUSH WITH PLENTY OF WATER FOR A MINIMUM OF 15 MIN AND-SEEK MEDICAL ADVICE. |
| Skin Contact | WASH WITH SOAP AND WATER. |

| | |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ingestion | RINSE OUT MOUTH AND GIVE PLENTY OF WATER. SEEK MEDICAL ADVICE. |
| First Aid Notes | |
| Info | Spill, Leakage & Disposal Procedures |
| Spill Procedures | WEAR SUITABLE PROTECTIVE CLOTHING; COVER WITH ABSORBANT MEDIA SUCH AS DIATOMITE; CAREFULLY SWEEP UP AND REMOVE. |
| Waste Disposal | DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL ENVIRONMENTAL REGULATIONS.-MAKE SURE THAT GOODS DO NOT ENTER DRAINS, SEWERS, PUBLIC TRIBUTARIES ETC. |
| Info | Handling & Shipping Procedures |
| Handling & Shipping Procedures | KEEP CONTAINER TIGHTLY CLOSED. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE AREA. |
| Info | SARA 313 Chemical Breakdown |
| SARA Chemical Name | |
| SARA Concentration | |